# Product Catalog 2012 Vol 3.0



# Tudor Artisans

"Make Your Home Your Castle"

Copyright 1999-2012

Tudor Artisans LLC 2125 Barrett Park Drive #101 Kennesaw, Georgia 30144

Information and prices are subject to change without notice. The information contained within is valid through August 15, 2012

# **Product Catalog 2012**

Information effective until August 15, 2012

### **Table of Contents**

Leaded, Stained, Painted Glass	3
Manor Doors	6
Heraldry Carvings and Glassworks	10
Tudor Entrances and Door Surrounds	12
Tudor Fireplaces	16
Stone Mullions	19
Pricing is by size, number of lights, type (full, half, recessed) and options (label	
moulding). Please call for pricing. Custom window aperture widths can be produc	ced 21
Tudor Standard Architecture Elements	22
Tudor Paneling	24
Copper Gutter Elements	25
Tudor and Gothic Lighting	29
Window and Door Hardware	31
Our Company	36
Our Mission	36
Our Passion	36
Design and Consultation Services	37
Product Warrantees	38
Payment Policy	38

### Leaded, Stained, Painted Glass








#### **Standard Features**

- Lead came lights (came size 0.25)
- Cathedral glass (see <a href="https://www.spectrumglass.com/Stocklist.html">www.spectrumglass.com/Stocklist.html</a> for all glass types)
- Standard Geometric light/pane patterns
- 50% silver / 50% lead soldered rebar supports as required
- Zinc frame (0.375-0.75")
- Extensive crating for safe shipment (crating and shipping are extra charges w/o customer pickup)


### **Options**

- Wider came (0.375" 0.5") or custom came profile
- Weather-proofing (putty) on one side or two sides
- Patina Aging for frame and lead came (bronze or black)
- External/Outside frame preparation zinc tabs with pre-drilled screw holes
- Non-standard glass (including restoration and antique types) and bevels
- Edge panes (rectangular panes around perimeter of panel, see "Crest with Diamond" example below)
- Painted sections professional lacquer glass paint used
- Wooden sash framing (paint-grade or stain-grade wood specie)

### **Standard Geometric Patterns**



### **Non-Standard Examples:**



#### **Pricing**

Standard geometric patterns (listed above) and non-complex other designs (suggested by designer/client) are normally \$75 per square foot of panel surface. Standard option pricing is as follows: patina aging is included, wider came is \$6 per square foot, weather-proofing is included, edge panes are \$10 per linear foot of panel perimeter. External application zinc tabs are \$40 extra.

Design only is possible (for  $3^{rd}$  party fabrication), and are drawn in CAD (to-scale). Typical design fees range between \$25-50/hr.

Non-standard patterns are \$95 per square foot for geometric shapes and \$145 per square foot for custom designs.

If painted sections are imbedded into the geometric pattern, the painted section will be priced separately (per client's design), however, the painted area is still included in the overall square footage used to calculate the geometric "surround" price. This is due to the added complexity of embedding the painted section into the geometric pattern.

#### Application

Leaded Glass panels can be inserted within existing doors, windows (even double-hung), wall partitions, or can be used as the external glass/glazing. With double-hung windows, it is sometimes necessary to create a rabbit for the panel to slip into. Very exact measurements are required for accurate panel fit. The measurement should be provided exactly where the existing glass pane meets the wooden [window] frame. Panel weight can be a factor for historical window and door applications.

#### **Lead Time**

Lead time can vary due to potential order backlogs. Please inquire via phone or the email. Standard panels can be produced normally within 2-3 weeks with no order backlog.

### **Shipping**

Via FedEx Home Delivery (to residential areas) - up to 70 pounds and measurements of length + girth cannot exceed  $150^{\circ}$  - or - FedEx Ground (business address) - up to 130 pounds and measurements of length + girth cannot exceed  $165^{\circ}$ . Initial shipping price quoted is only an estimate as the actual shipping cost is by final weight (which can vary depending on glass pane type and thickness, and panel size). Shipping price will be that of the actual shipping cost (including insurance) with crating charges typically costing 25-575.

#### **Returns**

Refer to the warrantee section for general return policy.

### **Manor Doors**







Tudor Panel Half-Light



Stuart Double with Sidelight



Tudor Panel Double with Half-light



Tudor Panel with raised stops

### Standard Features


- Solid ,Mahogany, White Oak, Walnut, and other fine hardwoods (no veneer) 36" x 80", 1.75" thick door (slab)
- Mortise and tenon traditional joinery
- Plank doors are beveled at plank joint
- Plank and Panel Designs from historical references (US Tudor Revival, European castles and manors)
- Panel doors with raised edge moulding, deep recess with raised panel or flat (your choice) and glass replacement of wooden panels at your choice
- Gothic arched, radius (half circle), and square top possible on all designs (all arched top doors are an upgrade from square top)

### **Options**

- Extra think (2", 2.25" or more) or custom height or width
- Tudor door frame/jamb (paint-grade or stain-grade with same wood specie as door) that includes jamb, threshold (oak adjustable riser, bronze aluminum sill), standard hinge square butt hardware, weather stripping (QLON 5/8" bronze kerf-type), and vinyl door sweep

- Other mortised hardware (lockset) can be mortised/prepped (see hardware section in this document).
- Nails or studs possible
- Surface finishing– includes oil staining and varnish topcoats
- Custom designs possible (submit the design for a custom quote)
- Windows added to panel or plank style doors where leaded glass and double insulated glass is possible (separately or together)
- Matching cast stone surrounds available that were engineered to fit Tudor doors

### **Standard Designs**



Standard door designs (listed above) are priced as follows (3'0" width, 6'8" height, 1.75" thickness):

Design	Mahogany	Oak (\$) *
	(\$) *	
Tudor Panel	18 <del>90 -</del>	22 <del>90-</del>
Classic Plank	2090	2 <del>590-</del>
Stuart Plank	22 <del>90-</del>	27 <del>90 -</del>
Jacobean Panel	34 <del>90 -</del>	39 <del>90</del>
Charles Panel	35 <del>90</del>	41 <del>90</del>
Henry VIII Panel	38 <del>90-</del>	43 <del>90</del>
Stuart Plank, Tudor Sidelight	43 <del>90</del>	48 <del>90</del>
Tudor Panel, half- lighted, sidelight	39 <del>90-</del>	44 <del>90</del>

<sup>\*</sup> not including jamb or other options or shipping cost

Options include: Plank door window additions with normal size speak-easy double-insulated glass, or leaded/stained glass is \$250 with both possible (plus \$100). Refer to the hardware section for hardware pricing. Frames/jambs - \$900 for paint-grade and \$1200 stain-grade (same wood specie as door), pre-hung (hardware prep, mortising and installation of hinges) is \$250 (left or right hand operation must be specified), Extra thickness (2.25") is \$400, strap hinge and door stud hardware installation is \$0 (if hardware purchased from us), Staining and poly finishing is \$450 (refer to stain chart in the next section for stain colors), lockset handling is \$100, special mortise box mortising is \$250, and custom height and/or width is \$300 in either direction. Refer to cast stone section for door surround pricing. Custom door priced per design.

#### Application

Doors are sold as blanks and we will prep/install some hardware. We will mount strap hinges or other decorative hardware – hardware provided by the client or by us. Hardware can also be shipped loose and can also be performed by client's installer. We require all 6 sides of the door sealed thoroughly to retain warrantee. Extreme alterations in the door width or height (+96" for exsmple) will also invalidate warrantee. Very exact measurements are required (within 0.125" tolerance) for accurate door fit. The measurement should be provided exactly – within existing or proposed jamb. Door weight can be a factor for historical door jambs – jambs may need to be replaced. Extreme door exposure to direct sun and moisture can also invalidate the warrantee if finishes are not properly applied and maintained. It is always best to protect doors with a portico or overhang.

#### Lead Time

Lead time can vary due to potential order backlogs. Please inquire via phone or the website. Standard doors can be produced normally within 4-6 weeks when no extreme order backlog exists.

#### Shipping

Initial shipping price quoted is only an estimate as the actual shipping cost is by final weight (which can vary depending on complete door design). Shipping price will be that of the actual FedEx shipping cost (plus insurance) with \$200 crating charge typical.

#### Returns

Refer to the warrantee section for general return policy.

### **Stains**

The following stains are oil-based and can be applied to any of our wood products - mostly are applicable to doors.



# **Heraldry Carvings and Glassworks**



















**Standard Features** 

- Custom coat of arms executed in Stone, wood, or stained glass creating a true family heirloom
   unique in the world to client's specifications by world class artisans
- Stone and wood carving executed by hand by a nationally recognized professional artisan
- Authentic materials used limestone, marble, walnut, oak, cathedral glass
- Glass coat of arms can be integrated into a larger panel (see example above) or can be made standalone to be used as a sun-catcher against an existing window.

Pricing is per design for these custom artworks. The above top examples could be made again (or something very similar) – pricing depends of total size and complexity. Sample pricing:

Design Examples From Above	\$ Cost *
Coat of arms with horses (shown above) in Indiana Limestone 20" x 20"	34 <del>00</del>
Coat of arms (large, shown above) in Painted and Leaded Glass 26" x 66"	36 <del>00</del>
Coat of arms (standard, shown above with lions) in stone	2 <del>000-</del>
Coat of arms (custom, per your design) in stone	3 <del>500</del> -
Coat of arms (custom, per your design) in wood	3 <del>000-</del>

not including shipping cost

#### **Application**

Stone carvings must be specified with precise dimensions of relief and size. Glass works must have exact dimensions to fit the desired window or door application. The design will be discussed via CAD drawings – with all aspects of the design (color, depth, subject, scale, writing style, etc) agreed to before work begins. We will perform some degree of research work to discover the coat of arms of an ancestor, or help with a new coat of arms design, otherwise. Custom coat of arms design (design only with 3<sup>rd</sup> party fabricator) is possible with cost ranging \$200–600.

#### **Lead Time**

Lead time can vary due to potential order backlogs. Please inquire via phone or email. Because these are unique works of art, the lead time can vary greatly by design and cannot always be well predicted. We will provide our best swag as to a completion date and work to meet that date. The client must remain available to answer design questions if design issues arise.

#### Shipping

Initial shipping price quoted is only an estimate as the actual shipping cost is by final weight (which can vary depending on complete door design). Shipping price will be that of the actual FedEx Freight shipping cost (plus insurance) with crating charge.

#### Returns

Refer to the warrantee section for general return policy. In general, however, these are quite unique to the client's ancestry and personal preferences and returns will be allowed only to alter the existing piece's design (if possible). If we made a mistake or failed to capture the agreed to design, then a return will be accepted per the general return policy.

### **Tudor Entrances and Door Surrounds**



Sherwood (config C)



Sherwood with Side Blocking and label moulding



Braun II (config B)



Sherwood with Coat of Arms




King & Tudor Panel Door

### **Standard Features**


- Classic Tudor, old-world designs that compliment other products available:
  - O Door surrounds that fit with Manor style doors
  - o Many standard configurations that are customizable to your size requirements
- Designs drawn in CAD and approved by you and/or your architect and/or your builder
- Limestone (density at 170+ lbs / cubic foot)

- Multiple limestone types with various tones
- Hundreds of associated standard parts available to integrate to entrance call for catalog reference


### **Standard Designs**




Braun (config A)




Braun II (config B)




Sherwood (config C)




Sherwood (config C) with blocking and label options




Henry VII (config D)



Custom Gothic Radius Arch with Column Outer Surround



King (config D)



Dorset (Config G)

Doorway	Doorway Max Size	Doorway Min Size	Coping Size	Price
Configuration	*			
A (Braun)	Any (h) x 46" (w)	30" (h) x 20" (w)	7" (w) x 9" (d)	\$2 <del>279</del>
B (Braun II)	Any (h) x 46" (w)	30" (h) x 32" (w)	11 1/2" (w) x 11	\$3 <del>000</del>
(composite)			3/8" (d)	
C (Sherwood)	Any (h) x 59" (w)	30" (h) x 32" (w)	10 1/4" (w) x 10	\$4 <del>200-</del>
·			5/8" (d)	
D (Henry VII)	Any (h) x 59" (w)	30" (h) x 32" (w)	10 1/4" (w) x 10	\$3 <del>200</del>

			5/8" (d)	
E (King) Portico	Any (h) x 48" (w)	30" (h) x 32" (w)	7 1/4" (w) x 7 5/8"	\$8 <del>200-</del>
			(d)	
F (King II)	Any (h) x 48" (w)	30" (h) x 32" (w)	7 1/4" (w) x 7 5/8"	\$3 <del>800-</del>
Doorway/hallway			(d)	
surrounds only				
G (Dorset)	Any (h) x 60" (w)	42" (h) x 36" (w)	10 1/2" (w) x 8"	\$2 <del>400</del>
Doorway			(d)	
All Fireplaces	Any fireplace can be	See fireplaces	See fireplaces	See
	configured to be used as			fireplaces
	a doorway			

<sup>\*</sup> height (H) at apex of arch

#### Descriptions:

- Braun: Elegant late Tudor ribbed arch (2-center) with 7" radius at the shoulder turns and a strait rise to the pointed apex. The plinth is a strait-topped piece that angles back at 45 degrees.
- Braun II: An additional 4 ½" separate ribbed coping that extends the Braun coping
- Sherwood: Large ribbed moulding that has an integrated spandrel of carved gothic quatrefoil design. This piece works very well with label mould and side blocking. The arch is 2-center and a strait rise to the pointed apex. The plinth is a chevron topped piece that is square to the door plane.
- Henry: The Sherwood coping without spandrels. However, the arch is a complex 4-centered arch classic Early Tudor. The arch has a less-pointed apex.
- Dorset: Heavy and wide coping (without spandrels). The arch is a 2-centered arch classic Tudor Revival. The arch has a radius at the shoulder turns, and a strait rise to the pointed apex.

### **Options**

Option	Max (X) Size	Min (Y) Size	Price
Side Blocking	As required	As required	\$5 <del>00 -</del>
Label Moulding Cap	As required	As required	\$3 <del>00</del>

# **Tudor Fireplaces**



Tudor Fireplace (config C) "English Oak Leaves"



Tudor Fireplace (config C) "Gothic Quatrefoil"



Tudor Fireplace (config A) "Tudor Rose"



"English Oak Leaves" Detail





Tudor Fireplace (config D) "Tudor Rose"



Tudor Fireplace (config B) with Paneling


### **Fireplace Standard Configurations**





Config G (Camden) with Overmantle Note: shown with slips

Config H (Henry VII)



Config I (Canopy) without Overmantle

Fireplace Configuration	Firebox Max Size (without	Firebox Min Size (without	Price ***
	slips) *	slips) **	
A (inner surround only)	Any (H) x 52.5" (W)	30" (H) x 42" (W)	\$2 <del>279</del>
B (inner, outer, no mantle)	Any (H) x 52.5" (W)	30" (H) x 42" (W)	\$3000-
C (Full)	Any (H) x 52.5" (W)	30" (H) x 42" (W)	\$3 <del>600</del>
D (columns)	Any (H) x 52.5" (W)	30" (H) x 42" (W)	\$38 <del>00-</del>
E (columns, large)	Any (H) x 59" (W)	30" (H) x 48" (W)	\$5600
F (Oxford, small)	Any (H) x 36" (W)	30" (H) x 36" (W)	\$3 <del>300</del>
G (Camden)	Any (H) x 45 1/4" (W)	30" (H) x 36" (W)	\$3 <del>600</del>
H (Henry VII)	Any (H) x 42" (W)	30" (H) x 42" (W)	\$3200
I (Canopy)	60" x 72" (W)	60" (H) x 72" (W)	\$6 <del>400</del> -

### **Options**

Fireplace Configuration	Max (X) Size	Min (Y) Size	Price
Standard Over-mantle	As required	As required	\$2 <del>100</del>
Hearth	As required	As required	\$3 <del>00_</del>
(normally 3 pieces, 2"			(* 3.5" thick hearth available for \$4 <del>00)</del>

<sup>\*</sup> height (H) at apex of arch
\*\* without using firebox covers/slips; Slips provide for any firebox opening

<sup>\*\*\*</sup> includes selection of spandrel carving: Tudor Rose, English Oak Leaves, Gothic Quatrefoil, Tudor Shield and Vines, or plain (no carving)

thickness), .25", .5", .75"			(* 4.75" thick hearth available for
chamfers available			\$4 <del>75)</del>
Firebox Slips (normally 3	As required	As required	\$2 <del>00 -</del>
pieces, 1.25" thickness)			
Firebox Arched Insert	As required	As required	\$2 <del>50 i</del> f standard thickness/size
(normally 6 pieces, 4"			
thickness)			
Spandrel Carving	As required	As required	NC
Selection:			
Tudor Rose, English			
Oak Leaves, Gothic			
Quatrefoil, Tudor Shield			
and Vines, chevrons			
(Oxford only), or plain (no			
carving)			

### **Application**

Attachment brackets are not provided. It is normal (and best) for the architect and/or builder to approve the provided detailed design view of the elevation(s), side view, and top view of the affected area. All designs are shipped in components where no single piece is longer than 48" (per cast stone standards). The fireplace and door surround can be modified on-site to fit (smaller only) for both height and width. Some slight alterations may be required at the job-site.

#### Lead Time

Lead time can vary due to potential order backlogs. Please inquire via phone or the website. Standard lead times run 6-8 weeks for standard parts and longer for custom parts.


#### **Shipping**

Initial shipping price quoted is only an estimate as the actual shipping cost is by final weight (which can vary depending on size required. Shipping price will be that of the actual shipping cost (plus insurance) with no prep or crating charge.


#### Returns

Refer to the warrantee section for general return policy. No returns on custom cast stone are permitted.


### **Stone Mullions**




Half Mullion 4-light System




Gordon (Asymmetrical) Example - 14 sizes avail.




Gothic Window with Gordon Profile, Recessed Spandrels



Tudor 4-center, 5-Light Recessed Mullion Surround



Tudor 4-center, 3-Light Recessed Mullion Surround With label Mouldings




Tudor 4-center, 1-Light Recessed Mullion Surround

### **Standard Features**


- 4 Basic Profiles plus most any custom profile
- Classic recessed systems possible
- Full (transcends to interior) or half (brick depth) mullions possible
- All systems are customizable as to number of lights and height of each light
- Custom widths are possible
- Label moulding (aka: drip mould) is available for all
- Bay window systems also available (one system with stone roof)

Pricing is by size, number of lights, type (full, half, recessed) and options (label moulding). Please call for pricing. Custom window aperture widths can be produced.

### **Tudor Standard Architecture Elements**



Tudor Parapet or Screen Railing



### **Pricing**

Standard designs (listed above) are priced as follows:

\* not including shipping cost

Standard Designs (From Above)	\$ Cost *
Stone Mullions (as shown)	20 <del>10 -</del>
Label Mould Stait (per foot)	55—
Label Mould Corner (per each)	95
Tudor Parapet Railing section (as shown)	1 <del>330-</del>

### **Application**

Attachment brackets are not provided. It is normal (and best) for the architect to provide a detailed view of the elevation(s), side view, and top view of the affected area. All designs are shipped in components where

no single piece is longer than 48" (per cast stone standards. Mullions are tailorable at the job-site (height only). Mullion configurations (number of lights) can vary as the pieces are stackable

#### **Lead Time**

Lead time can vary due to potential order backlogs. Please inquire via phone or the website. Standard lead times run 6-8 weeks for standard parts and longer for custom parts.

#### **Shipping**

Initial shipping price quoted is only an estimate as the actual shipping cost is by final weight (which can vary depending on size required. Shipping price will be that of the actual shipping cost (plus insurance) with no prep or crating charge.


#### **Returns**

Refer to the warrantee section for general return policy. No returns on custom cast stone are permitted.

### **Tudor Paneling**

### **Standard Features**

- Designs inspired by historical Tudor architecture
- Custom paneling detailed to your specifications:
  - Wood specie wood selection
  - Edging can be applied moldings to plywood rail/stiles
    - or router-made from solid rail/stiles
  - Panel moulding selection
  - Panel cap type selection
  - o Lower and Upper panel carvings available (like linenfold)
- Shipped pre-fabricated in sections for easy, quick installation
- Design on CAD to scale for certain fit



TYPICAL TUDOR PANELING

### **Pricing**

Standard design (shown above) with applied moldings is priced as follows:

\* not including finishing or shipping cost

Standard Tudor Design (From Above)	\$ Cost *
Cherry, Red Oak, and White Oak	\$ <del>39 -</del>
Mahogany	\$ <del>35 -</del>
Paint Grade	\$2 <del>9</del> —

<sup>\*</sup> per square foot

## **Copper Gutter Elements**

### Wagner



Shield



Cubic



#9

#11









### **Standard Features**

- Classic Tudor and old-world designs
- Two copper thicknesses offered (16 and 32 once)
- Small and large versions available on most designs
- Downspout outlet size and shape can be specified
- Cast copper elements available that can be attached on most designs
- Several downspout bracket designs available
- We are a source for a full line of copper and bronze gutter systems. Please inquire about this additional literature.

# **Standard Leaderhead Designs**



### **Cast Emblems**

Cross


Fleur De Lis

Mission Shield

Rose









Left and Right Hare



### **Cast Downspout brackets**

Scroll

Olde English

Fleur De Lis







Clover

Banner

Classic







Standard designs (listed above) are priced as follows:

\* not including shipping cost

Standard Leaderhead Designs	(\$)16 oz	(\$) 32 oz
(screen and top is available for \$20 extra)	Copper *	Copper *
Wagner	3 <del>25</del> _	8 <del>50</del>
Shield	310_	6 <del>00-</del>
Cubic	400_	7 <del>50</del> _
#9	3 <del>00 -</del>	Contact us
#11	350_	Contact us
Octagonal	485	Contact us
Leaderhead Drawing Designs 1-25	Contact us	Contact us

Standard Emblem Designs	(\$) Cast Copper *
	Copper *
Cross Cast Emblem	3 <del>0</del> —
Fleur De Lis Cast Emblem	30—
Mission Shield Cast Emblem	<del>30 -</del>
Rose Cast Emblem	30—
Left/Right Hare Cast Emblem	35—

Standard Bracket Designs (5-6 pounds) (most available in 3" and 4" – add \$10 for 4")	(\$) Cast Bronze 3"
Scroll	8 <del>0</del> —
Olde English	8 <del>0 -</del>
Fleur De Lis	8 <del>5</del> —
Clover (4" only)	8 <del>5 -</del>
Banner	<del>80-</del>
Classic	<del>95 -</del>

### **Application**

Attachment hardware will be provided for all designs – surface should be specified for correct hardware. The cast emblems are orderable separately, but if you want them attached to a leaderhead, we can do that for you. Leaderhead downspout outlet can be made to attach to almost any size and shape downspout. The thicker copper for the leaderheads is recommended for cold climates.

#### **Lead Time**

Lead times for the 16 once copper leaderheads is 2-4 weeks (1-2 weeks longer for 32 once). For the cast brackets and emblems, 3-4 week lead times are normal.


### **Shipping**

Via USPS (up to 70 pounds) or FedEx Ground. Initial shipping price quoted is only an estimate as the actual shipping cost is by final weight (which can vary depending on quantity). Shipping price will be that of the actual shipping cost (plus insurance) with no prep or crating charge.

#### Returns

Refer to the warrantee section for general return policy.

# **Tudor and Gothic Lighting**





Type C-128

### **Standard Features**

- Classic Tudor and Gothic old-world designs
- Full catalog of 85 different designs available on request
- Available in easy care aluminum with brass, iron and bronze available

- Finishes include satin black, dark green, white, bronze, Verdi green, antique gold, antique bronze, Swedish iron
- Both Exterior and interior available on most designs
- Postlight, hanging lantern, and wall-mount available on most designs
- Electric and gas fuel options available on most designs
- Custom fabrication possible

Standard design pricing is available upon request with design item number selection list. Options selected such as material, finish, fuel type, etc. affect pricing and must be specified.

### **Window and Door Hardware**

### **Standard Features**

- Classic Tudor and old-world designs that compliment other products available:
  - Strap hinges work ideally with our manor doors and are almost a musthave for authentic Tudor architecture
  - Window stays and catches are perfect for the authentic look of period interior design.
- Hardware is authentic wrought iron and will last a lifetime
- Several finishes and colors patinas available from very smooth to purposely rusted

### **Standard Door Hardware Designs**

Iron Strap A100 - 14" (also avail. in 20")

Iron Strap A200 - 18" (also avail. In 6",12",24")





Iron Strap A300 - 19"

Iron Strap A400 - 24" (Wide)





Iron Strap A500 - 24"

Iron Strap A600 - 22"





Iron Strap A700 - 16"

Iron Strap A800 - 18" (also avail in 6", 12", 24")






Iron Strap A900 - 14"

Iron Strap B100 - 18" (also avail in 21")






Iron Strap B200 - 14" (also avail in 12", 20") Iron Strap B300 - 18" (also avail in 6", 12", 24")





Iron Strap B400 - 18" (also avail in 6", 12", 24") Iron Letter Slot



### **Standard Window Hardware Designs**

Iron Stay 10"

Iron Latch Set 12"





Iron Slide Latch 5"

村

Iron Sash Lock 3"



Iron Slide Latch 9"



Brown Iron Catch 10"



Spring Iron Sash Lock 2"



Iron Bolt catch 12"







Iron Rat-tail Latch 5"

Iron Latch 5"



Iron catch 12"



Brown Iron latch 4"



Iron catch 16"



Rusty Iron bolt 9"



Standard designs (listed above) are priced as follows:

Standard Door Hardware Designs	(\$) *
Iron Strap A100 - 14"	59
Iron Strap A100 - 20"	<del>69</del>
Iron Strap A200 - 12"	43
Iron Strap A200 - 16"	<del>54</del>
Iron Strap A200 - 18"	<del>65</del>
Iron Strap A200 - 6"	25
Iron Strap A400 - 24"	99_
Iron Strap A400 - 28"	1 <del>20 -</del>
Iron Strap A500 - 24"	69
Iron Strap A500 - 28"	<del>79_</del>
Iron Strap A600 - 19"	59
Iron Strap A600 - 22"	<del>69</del>
Iron Strap A700 - 16"	21
Iron Strap A800 - 12"	19_
Iron Strap A800 - 18"	2 <del>6</del> —
Iron Strap A800 - 24"	33
Iron Strap B300 - 12"	1 <del>9 -</del>
Iron Strap B300 - 18"	3 <del>2 -</del>
Iron Strap B300 - 24"	<del>39 -</del>
Iron Strap B400 - 12"	18-
Iron Strap B400 - 18"	<del>30 -</del>
Iron Strap B400 - 24"	<del>37 -</del>

### **Application**

Attachment hardware will be provided for all designs.

#### **Lead Time**

Lead time for hardware is 2-3 weeks for some designs. For the hardware that is made to order from England, it may take 4-12 weeks.

### **Shipping**

Via FedEx ground. Initial shipping price quoted is only an estimate as the actual shipping cost is by final weight (which can vary depending on quantity). Shipping price will be that of the actual shipping cost (plus insurance) with no prep or crating charge.

#### Returns

Refer to the warrantee section for general return policy.

### **Our Company**

We are a group of artisans based in Atlanta, Georgia that specializes in Tudor architectural elements and design. Although a small team presently, we are growing every year. Our talented federation of highly skilled artisans is comprised of 27 individuals working at the peak of their career. Our management is comprised of:

- Russell Gowan Engineering
- Debbie Rouleau Production
- David Hiers Operations and Design

### **Our Mission**

Our goal is to craft authentic reproductions that can be used with new construction or period renovations. We focus on both interior and exterior elements that tend to define and distinguish Tudor style.

If you are building or renovating a Tudor style home, contact us and we can help you. If the element you are looking for is not found on these pages, then we may know who could help you further.

#### **Our Passion**

A quote from our founder's evolving book about Tudor architecture:


"...but what was it that drew me to this seemingly antiquated design pattern? What made the style so unique and interesting? It was years later before I was fully able to completely understand the answer to these questions - as my full appreciation for this style grew slowly – maturing as I did. It grew as my knowledge about building materials and construction methodologies grew. It grew as my knowledge of history and legacy grew. Finally, my love of brick and stone – of heavy beams and massive chimneys – of steep slated roofs and planked doors – of craftsmanship and engineering - was fully realized in this wonderful thing we all know as TUDOR!"


Phone: 404-474-3282

On the web: www.tudorartisans.com

### **Design and Consultation Services**

We provide consultation services that can include an on-site visit to your project. Our skilled team can certainly help you obtain the authentic Tudor results you seek. Initial phone consultations are free as are most initial onsite consultations in the Atlanta area. Otherwise, we charge \$65 per hour (including travel time) - not to exceed \$300 per day. This fee is recoverable up to 10% of your total payment for products and (other) services. Extreme travel expenses may also be charged depending on the project.





Interior Design Example (Entrance Hall with Hammer beams and Paneling

Custom Door Design

### **Product Warrantees**

We warrantee our products for 1 year against manufacturing defects. Shipping breakage does occur at times, and this must be reported immediately upon receipt of the products. You should inspect the product upon receipt and notify the shipper and Tudor Artisans within 24 hours of receipt. Otherwise, we cannot be held responsible for onsite damage or theft. Our goal is to have 100% satisfaction. If you are displeased with the products you receive then we will work with you as much as possible to ensure your satisfaction. We take great pride in our work, but at times can make mistakes due to mis-communication or misunderstanding. This will hopefully be minimized by email verifications that should be reviewed for correctness. If it is discovered that incorrect information was received by Tudor Artisans for a product order, then it will be up to the discretion of Tudor Artisans if some modification can be attempted or a return accepted. If a return is accepted in this case, then the buyer will minimally pay for crating and shipping back to Atlanta, Georgia. This is especially true for custom products that are made to order. Standard products can be returned (if not damaged in any way) at the expense of the buyer for proper crating and shipping. If the product is deemed re-sellable, then the remaining payment will be refunded via Paypal (or other acceptable mechanism). It will remain the discretion of Tudor Artisans if returned product will be replaced or remaining payment refunded.

### **Payment Policy**

### Deposit

Typical custom products require a 50% deposit (of the initial invoice total) to start the order. The order starts with initial design or the shop drawing stage. This deposit can be made via check (made out to Tudor Artisans Inc), or by most major credit cards. For very large projects, it is possible to start an order via a 25% deposit that will allow the shop drawings to be initiated. In such a case, the remaining deposit amount of 25% will be required upon drawing approval – and before fabrication will begin. In either case, the deposit is non-refundable.

If the order requires additions during the design process, it is possible to change the order accordingly. If items are wanted to be removed during the design stage, only items not yet started to be drawn can be removed. If any invoice item's actual fabrication has already begun, then removal will not be possible.

### Final Payment

All invoices must be 100% paid before shipment may occur. This includes all invoice items such as shipping. Shipping charges are estimated in invoices, and actual freight charges will be ultimately charged. In the case of check final payment, the check must be received and cleared before shipment. If an invoice will be shipped in stages, only the material shipped plus shipping charges must be totally paid before shipment.